



SELENE 75 SPECIFICATIONS

- Principal Dimensions -

- L.O.A.: 78'-11" (24.05 M)
- L.O.H.: 74'-5" (22.68 M)
- L.O.D.: 71'-2" (21.69 M)
- L.W.L.: 68'-5" (20.85 M)
- Beam (over all w/ rub rail): 21'-6" (6.55 M)
- Max Draft (to keel bottom): 6'-3" (1.91 M)
- Displacement (Full load): 166,666 Lbs
- Fuel Capacity: 3,200 USG
- Water Capacity: 700 USG
- Holding Tank Capacity: 250 USG
- Gray Tank Capacity: 150 USG
- Top Speed: 13 Kts
- Cruising Speed: 10 Kts
- Standard Power: Twin Cummins QSM11 455HP@2100rpm Marine Diesel Engine

- Structure -

- Cook gelcoat for hull, deck, superstructure & non-skid
- Vinylester resin for the first 5 layers lamination
- Cymax bi-axis uni-direction stitched roving / mat
- Taiwan Glass mat
- Divinycell core sandwich structure for hull side shell, bottom, deck & superstructure
- Hand laid FRP single skin hull bottom
- Longitudinal stringers & transverse frames system
- 6 watertight bulkheads (chain locker, Collision lock, Fwd. E/R, Aft. E/R, lazarette)
- Hull and deck joint sealed by glue, bolted & laminated with mat and woven roving
- Integral swim platform with extended hull underneath
- Integral FRP stern thruster casing

- Exterior -

EXTERIOR HARDWARE

- Manship S/S #316 opening portlights / detachable storm cover to all port lights
- Manship S/S #316 hatches for pilothouse & fwd. stateroom
- Oceanair hatch shade w/ insert screens privacy blinds
- Diamond/Sea-Glaze Dutch doors for pilothouse (P&S), salon & E/R entrance
- Taco S/S #316 1-1/2" solid upper & lower dual fender rails
- S/S #316 oval shaped hand rail for fore deck & dinghy deck
- S/S #316 telescope swim ladder 3 step
- S/S #316 dia 2-1/2" aft. deck overhang support posts
- Stainless steel window frames
- Teak cap rail for Portuguese bridge, side deck & aft. deck

- S/S #316 bow & stern flag pole socket
- Teak burgee & flag staffs
- Freeing port for fore, side & aft. deck
- After deck side gates, swing in
- Transom gates, swing in
- Storage lockers w/ teak grating inside Portuguese bridge
- S/S #316 self-lock type exterior gate handle
- Cantalupi exterior dome lights
- Cantalupi exterior courtesy lights

FLYBRIDGE

- Helm station in center w/ console box
- S/S #316 dia. 30" destroyer type steering wheel
- S/S #316 grab rail
- S/S #316 sliding door from F/B to pilothouse
- FRP BBQ box
- FRP radar arch (All FRP hard top optional)
- Corian integrated wash basin w/ Scandvik folded faucet
- S/S Selene helm seat(1)
- Opamare sky roof(optional)
- Built-in FRP locker P&S aft of main station for optional remote controls
- AFI 24V DC outlet
- Chart counter top
- Tinted plexiglass windscreen with S/S #316 bracket
- Dinghy space on the fly bridge deck
- FRP U-shaped settee w/ storage underneath, w/ Sunbrella cushion set. Two FRP tables.

COCKPIT

- FRP settee w/ Sunbrella cushion
- Teak table w/ S/S #316 table pedestal
- Fresh water deck wash
- Flojet saltwater wash down pump
- Dedicated spiral stair to F/B
- Steps to swim platform integrated
- Scandvik transom shower hot/cold fresh water

SUN DECK

- 316 stainless steel stanchions
- 316 stainless steel rails around aft stairway to lower deck
- FRP bar unit
- Scuppers and drainage system for water to lower deck
- Storage locker under built-in settee P&S

- Interior -

FOUNDATIONAL MATERIALS

- Light teak or cherry veneer (straight grain or mountain grain)
- Schwepper door locks & handles for interior doors
- Lamp push button for all locker doors & drawers

Selene California 10/2009

- Cantalupi lights system
- Vimar switch & dimmer
- Cabin reading lights
- Solid teak & holly sole w/ teak border
- Fiberglass "H" shaped floor beam
- Vinyl & EVA foam panels for ceiling lining
- Drapery for saloon and each staterooms
- Selected sliding windows w/ tinted tempered glass
- 2" latex foam laminates w/ PU foam for all cushion of sofa & berth
- Teak & Holly sole in P/H & Galley floor
- Granite parquet feature in bathroom

SALOON

- U-shaped sofa w/ 5" foam cushion
- Storage underneath the sofa
- Table & corner tables
- Entertainment center w/ pop-up TV cabinet
- Cantalupi demo light
- Cabin reading light
- Diamond/Sea-Glaze Dutch door for saloon entrance
- Emergency hatch to engine room
- Corian or Granite bar counter top
- Teak or cherry swivel chairs
- Bamboo blinds w/ drapes
- Self-lock window stopper
- Teak and holly sole on the floor

GALLEY

- Counter top w/ Integral bar
- Corian or Granite counter top & splash back
- Frankie S/S #316 double sink
- Single lever swivel type faucet
- Overhead cabinets
- GE microwave w/ built-in exhaust
- Drawers & storage lockers w/ shelves under counter
- Trash bin w/ lid
- Cold room compressor w/ temperature control
- Teak & holly sole on the floor

GALLEY APPLIANCE

- Subzero 700TCI or Liebherr 5056 refrigerator
- Microwave (Siemens 44 litre) 240VAC
- Frankie double sink
- Stove / LPG commercial galley

DAY HEAD

- Day head with Sealand electric jet head
- Corian countertop with drop-in sinks and mirror over

- Teak and holly sold
- Vimar outlet w/ dimmer switch

RAISED PILOTHOUSE

- Helm station w/ instrument panels
- Upper console box above steering station
- Electric engine control
- Diamond/Sea-Glaze Dutch doors for P&S side
- Pull-man watch berth behind raised seat
- Sliding chart table w/ drawer
- S/S #316 or teak stair from pilot house to F/B
- Raised seat w/ foot rest
- Manship S/S #316 hatch-2
- Oceanair hatch shade w/ insert screen privacy blind
- Teak overhead grab rail
- Cantalupi red lights (2)
- Cantalupi step lights
- Cantalupi dome lights
- Daniel Smith chart lights
- Cabin reading lights
- Teak & holly sole on the floor

MASTER STATEROOM

- Queen-size berth w/ 6" foam mattress
- Side cabinets & drawer bureaus
- Safe located at master stateroom or office
- Wardrobe w/ automatic light & aromatic cedar liner
- TV / video cabinet
- Teak or Cherry veneer counter top
- Cantalupi reading lights
- Cantalupi dome lights
- Manship S/S #316 opening portlights
- Dedicated teak stairway to saloon

MASTER HEAD

- Tecma 24V DC freshwater toilet
- Jabsco 24V DC dia. 3" exhaust fan
- Cantalupi dome lights
- Formica finish head lining & FRP bulkhead
- Corian or Granite counter top & back splash back
- Vanity unit w/ integrated wash basin
- One piece swing shower door
- Manship S/S #316 opening portlights
- Teak removable grating panel for shower room
- Single lever hot / cold water shower faucet
- Medicine cabinet w/ mirror door
- Vanity mirror w/ teak frame

- Granite parquet feature on floor
- Teak grating for shower room

FORWARD STATEROOM

- Queen-size berth w/ 5" foam mattress
- Side cabinets & drawer bureaus
- Wardrobe w/ automatic light & aromatic cedar liner
- TV video recess locker
- Teak or Cherry veneer counter top
- Cantalupi reading lights
- Cantalupi dome lights
- Windline telescope escape ladder
- Manship S/S #316 opening port lights

FORWARD HEAD

- Tecma 24V DC freshwater toilet
- Jabsco 24V DC dia. 3" exhaust fan
- Formica finish ceiling lining & FRP bulkhead
- Corian or Granite counter top & splash back
- Cantalupi dome lights
- Manship S/S #316 opening port lights
- Teak removable grating panel for shower room
- Vanity unit w/ integral wash basin
- One piece swing shower door
- Single lever hot / cold water shower faucet
- Teak grating for shower room
- Vanity mirror w/ teak frame
- Medicine cabinet w/ mirror door
- Granite parquet feature on floor

PORT SIDE GUEST STATEROOM & BATH

- 5" foam mattress for each berth
- Twin berth w/ drawer underneath
- Side & front cabinets
- Wardrobe w/ automatic light & aromatic cedar for the liner
- TV cabinet
- Teak or Cherry veneer counter tops
- Cabin reading lights
- Cabin demo lights
- Manship escape hatch
- Manship S/S #316 opening port lights
- Tecma 24V DC freshwater toilet
- Jabsco 24V DC dia. 3" exhaust fan
- Formica finish ceiling lining & FRP bulkhead
- Corian or Granite counter top & splash back
- Cantalupi demo lights
- Manship S/S #316 opening port lights

- Vanity unit w/ integral wash basin
- One piece swing shower door
- Teak removable grating panel for shower room
- Single lever hot / cold water shower faucet
- Medicine cabinet w/ mirror door
- Granite parquet feature on floor
- Teak grating for shower room

STARBOARD GUEST STATEROOM

- Upper & lower bunk w/ drawer underneath
- Teak battens on side ceiling
- Book shelves
- 5" foam mattress for each berth
- Hanging locker w/ automatic light
- Overhead cabinet
- Cabin reading lights
- Vanity bureau
- Vanity mirror w/ teak frame
- Manship S/S #316 opening port lights
- Tecma 24V DC freshwater toilet
- Jabsco 24V DC dia. 3" exhaust fan
- Formica finish ceiling lining & FRP bulkhead
- Corian or Granite counter top & splash back
- Cantalupi demo lights

CREW QUARTERS

- Dedicated access from side deck to crew quarters
- Bunk w/ 4" foam mattress & drawer underneath
- Hanging locker w/ automatic light & aromatic cedar liner
- Cantalupi dome lights
- Cabin reading lights
- Book shelf
- Overhead locker
- Laundry lockers w/ louvered door
- Teak & holly sole

CREW QUARTERS HEAD

- Tecma 24V DC freshwater toilet
- Jabsco 24V DC dia. 3" exhaust fan
- Formica finished ceiling lining & FRP bulkhead
- Cantalupi dome lights
- Vanity unit w/ integral wash basin
- Single lever hot / cold water shower faucet
- Teak removable grating panel for shower room
- Granite parquet in bathroom

DINING ROOM

- Leaf style dining table seats 8-12 persons

- Loose chairs-6
- Cabinet storage below windows port and starboard
- Wood/mirror overhead lighting over the dining table area

- Systems -

PROPULSION

- Twin Cummins QSM 11 455HP @ 2100rpm marine diesel engines
- Deluxe engine panel w/ complete instrumentation & alarms at each station
- Engine overheat & low oil pressure alarm
- Electronic engine control system at each helm station
- Centa marine coupling system
- NiAlBr 4 blade propeller
- Reverso gear driven oil change pump
- FRP drip pan under engine
- Hydraulift FRP wet box muffler
- Engine room blowers dia. 5" 120/230V AC (4)
- Full protected FRP rudder w/ S/S #316 dia. 2-1/2" shaft
- S/S #316 pillars in engine room
- Fluorescent light for E/R, commissary & lazarette (120V/230V)
- Watertight door to engine room

STEERING SYSTEM

- Teleflex power steering system for two stations
- Handcrafted teak wheel in pilot house and S/S #316 wheel on F/B
- Emergency tiller
- Full protected FRP rudder
- Central hydraulic reservoir unit

AC ELECTRICAL SYSTEM

- 120V AC or 240V AC system
- Caterpilla --- Cruising genset
- Caterpilla ---Day genset
- Switch panel located in P/H, includes dedicated 120 Amp/hr starting battery
- Delco 105 Amp engine alternator
- Blue Sea emergency parallel switch
- Marincos shore power inlets fore & aft
- Marincos TV & Tel inlet fore & aft
- AC outlets throughout the boat
- Newmar integrated galvanic isolator
- Asko separate washer / dryer located adjacent to crews quarters
- Torrid S/S 30 gallons 120V/240V AD dual heating source water heater 1 set
- AD/DC control panel w/ polarity indicator lights, appropriate switches, meters & breakers
- GFCI outlet in head & F/B
- Copper bonding strap w/ ground cable attachment for each fitting
- Mastervolt or equivalent 3x24v/100 amp battery charger system
- Mastervolt or equivalent 3x24v/50 amp battery charger system for engine & genset start battery
- Mastervolt or equivalent 1x24v/5000 inverter unit

- Spare circuit breaker for optional Auto pilot system

DC ELECTRICAL SYSTEM

- 24V DC system
- Aqua Signal navigation lights
- Johnson dual pump 24V DC automatic water pressure system X2
- Exalto electric wipers for 3 front windshields w/ fresh water wiper wash
- Rule sump pumps w/ automatic float switches
- Vision AGM deep cycle batteries for house service, engine & generator starting
- Cantalupi accommodation dome lights
- Cantalupi step lights for interior & exterior
- Stereo speakers in master stateroom saloon, flybridge and aft deck area

FUEL SYSTEM

- Two FPR fuel tanks total 3200 US gal, w/ internal baffles, sumps, balancing lines, inspection plates
- Racor 75/1000 Max dual fuel filter / water separator for main engine
- Racor 900MA fuel filter / water separator for generator
- Racor USCG & CE certified fuel line hose
- ESI CFS 100RE fuel polishing system
- Parker ball valve for fuel system
- Electric fuel gauge
- Magnetic fuel sight gauge for each fuel tank
- Fuel management system
- Oil change pump Reverso OP700

PLUMBING SYSTEM

- Two FRP water tanks, total 700 gal us
- One FRP holding tank w/ Y-valve & Johnson or similar macerator pump, deck discharge outlet & remote full display panel in master bathroom, total capacity 230 US gallons
- Electric water gauge
- Water piping system
- Sea cocks on all through hull fittings with double hose clamps
- Bronze basket type internal sea water strainer for main englin
- Rule electric bilge pumps w/ automatic float switch
- Whale manual bilge pump
- Status panel w/ warning signal in helm station to warn of bilge pump operation

ANCHOR & MOORING SYSTEM

- Anchor pocket
- Maxwell HWVC 3500 24V DC electric horizontal windlass
- Maxwell chain stopper
- S/S #316 self-launching anchor roller
- S/S #316 5" diameter Samson post
- S/S #316 hawse hole with cleat (8)
- Fresh water chain wash down
- Pilot house & fore deck windlass control switch

- Miscellaneous -

- "Marine Fire" fire suppression & air damper system
- Soundown E/R sound insulation system including damping tile, 3" sound insulation foam & Aluminum perforated plate
- Soundown Sylomer strip floating floor
- International Gel shield primer coating
- International anti-foul paint bottom paint
- International boot top line choice of colors
- Epifanes interior varnish
- Engine room FRP flooring
- Vimar outlet w/ dimmer switch

- Optional List -

- Aritex 1200kgs davit
- Wesmar RS1600 hydraulic stabilizer
- Wesmar 40hp or 60hp hydraulic stern thruster
- HRO Water-maker
- Maxwell 2xWinch in cockpit
- FRP bureau(Can act as 3rd remote station) in cockpit
- Wide-body layout
- PU paint hull in lieu of standard color
- All FRP hard top
- Opamare sky roof(optional)
- S/S bimini top frame
- Recessed bow thruster tunnel + 40hp Wesmar hydraulic thruster
- FRP Bulbous bow
- Portuguese side gate, swing out, Starboard side
- S/S safety rails (removable) to swim platform-4 staple
- Second S/S Selene helm seat
- Pop-up cleats at swim platform 2 units
- Dishwasher (Siemens compact) 240VAC
- Amartech rudder
- Mastervolt or equivalent 1xtransformer
- Raritan ice maker
- ACR Searchlight(dual station control)
- Kahlenberg D-01A air horn
- Maxwell chain meter-4(auto anchor AAS60)

**Specification and equipment list are subject to change without prior notice.*